



Epson Stylus Photo 1410 Printer Specification Sheet

The high quality, high performance A3+ printer for the digital photography enthusiast

PRINTER TYPE

PRODUCT NAME	Stylus Photo 1410
PRODUCT CODE	C11C655051
PRINTING METHOD	On-demand Inkjet (piezoelectric)
NOZZLE CONFIGURATION	540 nozzles (90 per colour)
MINIMUM DROPLET SIZE	1.5pl


PRINT SPEED

BLACK TEXT (MEMO) A4	Approx. 15 PPM (Draft) ^{*1}
COLOUR TEXT (MEMO) A4	Approx. 15 PPM (Draft) ^{*2}
PHOTO 8" x 10"	111 sec+ (Photo) ^{*3}

Print Speed Data Printout Patterns The thumbnail images below show the printout patterns used to determine print speed specifications.



★1
Black Text
(MEMO) A4



★2
Colour Text
(MEMO) A4



★3
Photo 8" x 10"
(Photo courtesy of ISO/JIS-SCID.
Reprinted by permission.)

"Second" rating refers to the time taken to print one page. "ppm" rating refers to the number of pages printed in one minute. The computer environment we test under is as follows: CPU: 1GHz Pentium III; RAM: 128MB; OS: Windows ME; Interface/Connectivity: USB

^{*3} When printed on Epson Premium Glossy Photo Paper @ 720x720 dpi

RESOLUTION

5760 x 1440 Optimised dpi using Resolution Performance Management (RPM) Technology

PAPER HANDLING

PAPER FEED METHOD	Friction feed with Paper Feeder
PAPER HOLD CAPACITY	Up to 120 sheets at 90gsm
PAPER SIZES	A3+, A3, A4, A5, A6, Letter, B5, Legal, Envelope, Half Letter, 4" x 6", 5" x 7", 8" x 10", 12" x 12", 3.5" x 5", 11" x 14", 11" x 17"

OPERATING SYSTEMS

PRINTER DRIVERS	Microsoft® Windows® 2000 / XP/ XP-64bit / Vista / Mac® OS X/ Tiger
-----------------	--

APPLICATIONS

(PRINTER SOFTWARE)

Epson Web-To-Page
Epson Creativity Suite
Epson Easy Photo Print
Epson File Manager
Epson Attach to Email
Epson Print CD
Epson PIF Installer
Camera RAW Plug in for Creativity Suite

INTERFACES

USB 2.0 (Hi-Speed)⁺ for PC/Mac®
PictBridge

⁺ To use the USB port, your PC must conform to PC98 specifications, and have Windows® 2000/XP preinstalled. Consult the documentation provided with your PC for further information about USB connectivity. Note also that printing errors may occur if non-standard cables or more than two hub connections are used.

DIMENSIONS (stored)

615mm (W) x 223mm (H) x 314mm (D)

WEIGHT

11.5kg

WARRANTY

12 months return to base Standard
Optional Additional 2 Year Warranty 3YW1410
(*Australia Only)

ENVIRONMENTAL CONDITIONS (OPERATING)

TEMPERATURE	10 ~ 35°C
HUMIDITY	20 ~ 80% RH

ELECTRICAL SPECIFICATIONS

RATED VOLTAGE	AC 220 ~ 240V
RATED FREQUENCY	50Hz

DURABILITY

Dark storage: 200 years album storage

INK CARTRIDGES

BLACK INK High Capacity Black (T0811)	COLOUR INK High Capacity Cyan (T0812), High Capacity Magenta (T0813), High Capacity Yellow (T0814), High Capacity Light Cyan (T0815), High Capacity Light Magenta (T0816)
---	---

The Epson Intellidige™ Ink System is designed to work perfectly in harmony with the printer and your choice of media to ensure you get:

- the very best of print quality every print, every time
- and trouble-free, peace-of-mind printing every print, every time

The Epson Intellidige™ Ink System brings maximum benefits, maximum ink usage and the interchange of Epson cartridges suitable for this model. The Epson Intellidige™ Ink System gives you easy-to-see, always available information about all your ink levels.

This printer is designed to be used only with Genuine Epson Intellidige™ ink cartridges. Intellidige™ Ink cartridges are not designed for refill.



It's now easier for you to identify Genuine Epson cartridges. Epson is gradually replacing the current hologram with the new anti-counterfeit **Color Shifting Label**.

As an International ENERGY STAR Partner, Epson has determined that this product meets the International ENERGY STAR guidelines for energy efficiency. Epson is the registered trademark of Seiko Epson Corporation. Epson trademarks of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are simulations. Specifications are subject to change without notice.