

# DocuPrint CP105 b / CP205 w DocuPrint CM205 b / CM205 fw Colour LED Printer

Print quality so vibrant, it captures everyone's attention



# High resolution S-LED (Self—Scanning Light Emitting Diode) technology produces brilliant images



For small and growing businesses and home-office entrepreneurs who demand high quality colour printing, but may be tight on space, Fuji Xerox now has the perfect solution.

A technologically superior and highly affordable printer that provides stunning, high-quality colour printouts yet fits right on your desk. This is an entry level printing solution that is loaded with advanced technology you could previously only get from large and expensive standalone high end printers.

# **Award-winning technology**

Fuji Xerox has raised the benchmark for high-quality, colour printing with a range of award-winning breakthroughs in printer technology that not only deliver eye-catching results, but are fast and simple to use, easy to maintain and save you money with every print out.

# Quietly brilliant

Fuji Xerox's award winning S-LED (Self-Scanning Light Emitting Diode) and DELCIS (Digitally-Enhanced Lighting Control Imaging System) control technology ensure you get accurate, high-imaging quality at 1200x2400 dpi. Small and intelligent S-LED chips with fewer moving parts give you ultra-quiet operation, reduced energy usage, a high level of operational reliability and a sleek compact design.



DocuPrint CP105 b / CP205 w / CM205 b /CM205 fw Best resolution in its class at 1200 x 2400 dpi



Other brands in its class only offer up to 600 x 600 dpi

# **High-speed colour correction**

**IReCT (Image Registration Control Technology)** is a newly developed digital image registration control technology giving the ultra high precision of 2,400 dpi colour print out, by which image misalignments will be accurately corrected through a digital process.

# Brilliant highlight

MACS (Micro Accurate Control Screen) optimizes the shape of screen elements in accordance with the image density of the area. This technology offers reproduction of smooth gradations and beautiful highlights.

# Razor-sharp images

**IE** (Image Enhancement) technology<sup>+</sup> improves flexibility in the number of screen lines, shapes and angles by scanning in two directions on a finer matrix to give you razor-sharp images, text and graphics.

## Cost and energy saving



Fuji Xerox's award-winning technologies ensure you enjoy exceptional performance at every level. They also save you money with every page you print and help keep the environment greener.

Toner-Save Mode reduces toner usage by up to 30 % for further cost savings.

# Reduced energy consumption

EA(Emulsion Aggregation)-Eco toner is a newly developed special toner that allows fusing to paper at a much lower temperature. This allows you to save up to 20% power consumption and reduce



CO<sub>2</sub> emissions by up to 35% compared to conventional Fuji Xerox toners. That means bigger cost savings for you and a greener planet for us all.

EA-Eco toner is completely oil free with the sharp-melting characteristics which provide the right gloss even on different types of paper.

Overall EA-Eco toner reduces power consumption by approximately 40 % in glossy mode. Only genuine Fuji Xerox EA-Eco toner offers you this energy saving performance.

#### Trouble free and user friendly

With few moving parts, your printer requires very little maintenance and has few replacement needs. The only thing you need to change is the toner cartridge and that just takes a second or two!

#### Fast and smart

- Fuji Xerox technology understands the pressures of business and provide reliable and fast printing capability to enhance your workflow.
- High-speed color printouts at 10 ppm.
- Huge memory of 64MB for DocuPrint CP105 b, 128MB for DocuPrint CP205 w and DocuPrint CM205 b / CM205 fw lets you handle more jobs faster.

### Easy to use



Intuitive LCD screen on the DocuPrint CM205 model, providing a large 4-line backlit LCD display.





Direct scan to USB memory allows you to store scanned data easily and quickly without the need of a PC.



Wireless connectivity<sup>+</sup> allows convenient and hassle-free printing.

+ CP205 w and CM205 fw

#### **Product Overview**

DocuPrint CP105 b







DocuPrint CP205 w
- Wireless Network Colour Printer



DocuPrint CM205 b
- 3-in-1 Personal Multifunction Colour Printer



DocuPrint CM205 fw - 4-in-1 Wireless Network Multifunction Colour Printer



# **Benefits**



# **Specifications**

Specifications					
Print Function Model	DocuPrint CP105 b	DocuPrint CP205 w	DocuPrint CM205 b	DocuPrint CM205 fw	
Print Speed (A4)	10 ppm colour; 12 ppm monochron	ne	12 ppm colour; 15 ppm monochrome		
Print Resolution	1200 x 2400 dpi (Fuji Xerox Image)				
First-page-out Time	29 seconds colour, 24 seconds mono 27 seconds colour, 22 seconds mono				
Warm-up Time		25 seconds 36 seconds			
Memory (std/max)	64MB		128MB		
Processor	192MHz	384MHz	1	MHz	
PDL Connectivity	Hi-speed USB 2.0	Host- 10/100BaseT, Hi-speed USB 2.0	based Hi-speed USB 2.0	10/100BaseT, Hi-speed USB 2.0	
	speed 655 2.0		111 Speed 035 2.0		
Wireless Function WLAN Compliant Standard	_	Available on DocuPrint CP205 w  IEEE802.11b/g/n	_	Available on DocuPrint CM205 fw IEEE802.11b/g	
Wireless Security Protocol		WEP (64/128bits), WPA-PSK (TKIP,AES),		WEP (64/128bits), WPA-PSK (TKIP,AES)	
Wireless Security Protocol	_	WPA-2PSK (AES)	-	WPA-2PSK (AES)	
Certifications	_	Wifi, WPA2.0 (Personal)	_	Wifi, WP A2.0 (Personal)	
Wifi Protected Setup (WPS)	_	Push Button Configuration (PBC),	_	Push Button Configuration (PBC),	
·		Personal Identification Number (PIN)		Personal Identification Number (PIN)	
Supported Operating System			4bit), Server 2008 (32bit/64bit), Server 2008F		
T D C: . M : T			te (Power PC 32/64bit/Intel 32/64bit) and 10.6		
Input Paper Size Main Tray	Paper Size Main Tray  A4 SEF, B5 SEF, A5 SEF, Letter SEF, Executive SEF, Folio (8.5" x 13") SEF, Legal SEF, Envelope (Com-10 SEF, Monarch SEF/LEF, DL SEF/LEF, C5 SEF)  Custom size width 76.2 to 215.9mm Length 127 to 355.6mm				
Media Input Capacity	150 sheets	Custoff size width 70.2 to 213.5fff	150 + 10 sheets		
Media Output Capacity	12231665	100 sheets	s face-down		
Media Types Main Tray	Plain, Plain-thick, Recycled, Labels	, Covers, Coated, Envelope, Postcard,		cycled, Labels, Covers,	
	Pre-print	ed paper	Coated, I		
Input Paper Weight Main Tray	60 – 163gsm				
Maximum Duty Cycle	20,000 pages / month				
Print Features			up, Poster, Watermarks, Collate, Image Rotati		
Dimensions (WxDxH)		x 234mm	410 x 389 x 318mm	410 x 389 x 337.5mm	
Weight Operating Environment Temperature	11	kg Storage: -20° to 40° C	14.3kg Operating: 10° to 32° C	14.95kg	
Humidity			nent: 10% to 85% RH		
Sound pressure levels	Standby: 20dB(A),	Standby: 21dB(A),	Standby: 23dB(A),		
	Printing: 47dB(A) mono, 46dB(A) colour	Printing: 49dB(A) mono, 48dB(A) colour	Printing: 50dB(A) mono, 48dB(A) colour		
Electrical Power			Hz or 110–127 VAC, 50/60 Hz Standby: 65W, Printing: 350W,		
Power consumption	Standby: 66W, Printing: 285W, Power save: 5W; ENERGY STAR® qualified	Standby: 69W, Printing: 340W, Power save: 7W; ENERGY STAR® qualified		Printing: 350W, RGY STAR <sup>®</sup> qualified	
	Power save. 5W, ENERGY STAR - qualified	Power save. 7W, ENERGY STAR - qualified	Power save. 7 W, EINE	RGT STAR = qualified	
Copy Function					
Copy Speed	_	-		15cpm monochrome	
Copy Resolution	-	_		) x 600 dpi	
First-copy-out Time Reduction / Enlargement			40 seconds colour, 24 seconds monochrome 25 - 400 %		
Continuous Copy			1-99 pages		
Copy Feature	_	_	ID Card Copy, 2 in 1 Copy, Edge Erase, Collate (Electronic Sort)		
			13. 13. 3		
Scan Function Type Colour	_	_	Color	ur CIS	
Scanning Resolution				to 4800 x 4800 dpi (enhanced)	
Colour Depth	_	_	24 bit		
Document Size	-	-	Flatbed: 215.9 x 297mm	Flatbed: 215.9 x 297	
				ADF: 215.9 x 355.6r	
Scan Destinations			Scan to USB Memory Drive, Sca		
	_	-	_	Scan to Email, Scan to	
Supported Driver	_	_	TNA/ATI	Scan to SMB (PDF/JPEC	
Bundled Software				N, WIA orks 7.2	
		I	Bocaw	01137.2	
Fax Function					
Compatibility	-	-	-	ITU-T G3	
Communication System Transmission Speed	_	_	_	PSTN, PBX (PABX Up to 33.6 kbps	
Memory Capacity (MB)				2MB	
Fax Resolution				400 x 400dpi (Ma	
One-Touch/Speed Dials	_	_	_	One-Touch: Up to 8 loca	
•				Speed Dials: Up to 99 lc	
Fax Features	_	_	_	PC Direct FAX, Secure FAX	
				Remote Fax Receive, Junk	
Warranty		Please check with your Fuji Xerox Prin	ters reseller for more information		
	1	rieuse check with your ruji Aerox Pilli	icers resented information		
Consumables Black toner cartridge (up to 2,000 pages*)		CT201591			
Cyan toner cartridge (up to 1,400 pages*)		CT201591 CT201592			
Magenta toner cartridge (up to 1,400 pages*)	CT201593				
Yellow toner cartridge (up to 1,400 pages*)	CT201594				
5 . 1 . 1 . 3 . 7					

<sup>\*</sup> Average standard pages. Declared Yield in accordance with ISO/IEC 19798 and ISO/IEC 24712. Yield will vary based on image, area coverage and and print mode. Printer is shipped with one standard toner yield 1,000 pages (Black), 700 pages (Cyan, Magenta, Yellow) toner

Descriptions in this material, product specifications and/or appearances are subject to change without prior notice due to improvements. Please note that the product colour appears differently from the actual colour as a result of properties of papers or printing ink. Windows and Windows NT are registered trademarks of Microsoft Corporation. Macintosh, Mac OS and Ether Talk are trademarks of Apple Computer, Inc. Other company names or product names are registered trademarks or trademarks of each company.









**Reproduction Prohibitions** Please note that reproduction of the following is prohibited b Domestic and overseas bank notes and coins, government-issued securities, national bonds an certificates. Unused postage stamps and post cards. Certificate stamps stipulated by law. The r of works for copyright purposes (literary works, musical works, paintings, engravings, maps, cine

works, photographic works, etc.) is prohibited except when they are reproduced personally, at I within limited range according to the above. This product is equipped with an anti-counterfeit

This feature is not intended to prevent illegal reproduction. Be extremely careful about the ma equipment used.







#### For Your Safe Use

Before using the product, read the Instruction Manual carefully for proper use. Use the product with an appropriate adequate power source and voltage displayed. Be sure to establish a ground. In the case of a failure or short circuit, an electric shock may result.

For more information or detailed product specifications,

please call or email or visit our website at:

#### Fuji Xerox Asia Pacific

14a Rodborough Road Frenchs Forest NSW 2086

Australia 1300 793 769 New Zealand 0800 993 769 www.fujixeroxprinters.com.au www.fujixeroxprinters.co.nz



XEROX, and the sphere of connectivity design are trademarks or registered trademarks of Xerox Corporation in the U.S. and or other countries. Other trademarks are the property of their respective owners.