**DocuPrint** P205 b / M205 b M205 fw



# DocuPrint P205 b / M205 b DocuPrint M205 fw Monochrome LED Printer





## The small personal printer, that's big on results

**Precise, compact, efficient and great value for money.** That's just what Fuji Xerox has created for you with this new monochrome printer. A compact printing unit, small enough to sit on your desk, that produces fabulous quality prints. With few moving parts, it is also extremely durable and ultra quiet in operation. And best of all, with up to 20% savings in energy consumption it cuts down your power bills as well!

#### We work harder so you can work better

At Fuji Xerox, we know you want high-quality print results every time. That's why we have worked so hard to create a compact, high-quality, entry-level printer with the technology you need to get the results you want.

#### **Guaranteed Quality and Reliability**

Fuji Xerox's award winning S-LED (Self-Scanning Light Emitting Diode) and DELCIS (Digitally-Enhanced Lighting Control Imaging System) technology gives you consistently sharp images at true 1200x1200 dpi. With fewer moving parts, the S-LED chips help your system to run with whisper quiet reliability and give you real savings on your energy bills.

The compact size and sleek design is an attractive bonus that is as easy on your eye as the price is on your pocket.

#### **Assured Speed**

Time is money. That is why this printing solution has speed on its mind. High printing speed of 24 pages-per-minute. This achievement is among the fastest in its class today.

#### **Better productivity**

Every piece of work contributes to profit. That's why we have incorporated a huge memory of 64MB for the standalone model and 128MB for the multifunction model so you can handle more complex print jobs with higher resolution.



#### Save as you work

Fuji Xerox's energy saving technology reduces print costs, ensuring you save money with every page you print and help keep the environment greener.



#### Less energy, more savings



Fuji Xerox EA(Emulsion Aggregation)-Eco toner is a newly developed special toner that allows fusing to paper at a much lower temperature so you can save up to 20% power consumption and reduce CO<sub>2</sub> emissions by up to 35% compared to conventional Fuji Xerox toners. That means bigger cost savings for you and a greener planet for us all.

EA-Eco toner is completely oil free with the sharp-melting characteristics which provide the right gloss even on different types of paper. Only genuine Fuji Xerox EA-Eco toner offers you this energy saving performance.

Toner-Save Mode saves you even more money by reducing toner use by up to 30%.

#### Trouble free and user friendly

With few moving parts, your printer requires very little maintenance and has few replacement needs. The only thing you need to change is the toner cartridge and that just takes a second or two!

#### Easy to use



**Intuitive LCD screen** on the DocuPrint M205 model, providing a large 4-line backlit LCD display.



**Direct Scan to USB memory** allows you to store scanned data easily and quickly without the need of a PC.



Wireless connectivity<sup>+</sup> allows convenient and hassle-free printing.

+ on M205 fw

### **Benefits**





Best Resolution

Award Winning Technology Sted & DELCE

Exceptional printing quality offered at an affordable price



#### **Specifications**

Print Function Model	DocuPrint P205 b	DocuPrint M205 b	DocuPrint M205 fw	
Print Speed (A4)		Up to 24 ppm		
Print Resolution		1200 x 1200 dpi		
First-page-out Time		11 seconds or less		
Warm-up Timev	25 seconds	36 sec	seconds	
Memory (std/max)	64MB	128	28MB	
Processor	150 MHz	300	DOMHz	
PDL		Host-based		
Connectivity	Hi-speer	ed USB 2.0	10/100BaseT, Hi-speed USB 2.0	
Wireless Function			Available on DocuPrint M205 fw	
Compliant Standard	-	-	IEEE802.11b/g	
Security Protocol	-	-	WEP (64/128bits), WPA-PSK (TKIP, AES), WPA-2PSK (AES) Wifi WPA 2 0 (Personal)	
Certifications Wifi Protected Setup (WPS)	-	-	Wifi, WPA2.0 (Personal)	
Wifi Protected Setup (WPS)		-	Push Button Configuration (PBC), Personal Identification Number (PIN)	
Supported Operating System	Mac OS Version 10.4.11 or later (Power PC 32bit/Intel 32	Windows XP (32bit/64bit), Server 2003 (32 bit/ 64bit), Vista (32bit/64bit), Server 2008 (32bit/64bit), Server 2008R2 (64bit), 7 (32bit/64bit) Mac OS Version 10.4,11 or later (Power PC 32bit/Intel 32bit), 10.5 with the latest update (Power PC 32/64bit/Intel 32/64bit) and 10.6 with the latest update (Intel 32bit/64bit)		
Input Paper Size Main Tray		A4 SEF, B5 SEF, A5 SEF, Letter SEF, Executive SEF, Folio (8.5" x 13") SEF, Legal SEF,Statement SEF, Envelope (Com-10 SEF, Monarch SEF/LEF, DL SEF/LEF, C5 SEF), Postcard SEF, W-Postcard SEF		
1	Custom size width 76.2 to 215.9mm	Custom size width	h 76.2 to 215.9mm	
J	Length 127 to 355.6mm		8 to 355.6mm	
Media Input Capacity	150 sheets		10 sheets	
Media Output Capacity		100 sheets face-down		
Media Types Main Tray		Plain, Recycled, Labels, Covers, Envelope, Postcard		
Input Paper Weight Main Tray		60 – 163gsm		
Maximum Duty Cycle	Torre Serie Mede Manual D	20,000 pages / month Toner Save Mode, Manual Duplex, Print Cancel (from panel), N-up, Poster, Watermarks, Collate, Image Rotation (180degree)		
Print Features Dimensions (WxDxH)		Duplex, Print Cancel (from panel), N-up, Poster, Watermarks, Co 410 x 389 x 299mm		
Dimensions (WxDxH) Weight	358 x 197 x 208mm		410 x 389 x 318mm	
Weight Operating Environment Temperature	4.6kg	8.9kg	9.9kg	
Operating Environment Temperature Humidity	+	Storage: -20° to 40° C, Operating: 10° to 32° C Operating Environment: 10% to 85% RH		
Humidity Sound pressure levels	Standby: 15dB(A), Printing: 52dB(A)		A), Printing: 54dB(A)	
Sound pressure levels Electrical Power	Stulluzy, 1500(1), 1.1.2.2	Standby: TSdB(A), 220–240 VAC, 50/60 Hz or 110–127 VAC, 50/60 Hz		
Power consumption	Standby: 62W, Printing: 380W	Standby: 58W, Printing: 380W	Standby: 58W, Printing: 400W	
	Power save: 4.0W; ENERGY STAR <sup>®</sup> qualified	Power save: 3.5W; ENERG		
			<u></u>	
Copy Function				
Copy Speed	-		24 cpm	
Copy Resolution	-	Up to 600	00 x 600 dpi	
First-copy-out Time	-	24 sec	seconds	
Reduction / Enlargement	-		- 400 %	
Continuous Copy	-		99 pages Edge France Colliste (Electropic Sort)	
Copy Feature	-	ID Card Copy, 2 in T Copy, La	Edge Erase, Collate (Electronic Sort)	
Scan Function				
Type Colour	-	Colc	our CIS	
Scanning Resolution	-		p to 4800 x 4800 dpi (enhanced)	
Colour Depth	- -	24	24 bit	
Document Size	-	Flatbed: 215.9 x 297mm	Flatbed: 215.9 x 297mm ADF: 215.9 x 355.6mm	
Scan Destinations	-	Direct Scan to USB Memory Drive, S	, Scan to Application (PDF/JPEG/TIFF) Scan to Email, Scan to FTP, Scan to SMB (PDF/JPEG/TIFF	
Supported Driver		TWA	IN, WIA	
Bundled Software	-		works 7.2	
Fax Function			TTI I T C 2	
Compatibility Communication System	-		ITU-T G3 PSTN, PBX (PABX)	
Communication System Transmission Speed			PSTN, PBX (PABX) Up to 33.6 kbps	
Iransmission Speed Memory Capacity (MB)			Up to 33.6 kbps 2MB	
Fax Resolution	-	-	400 x 400dpi (Max)	
One-Touch/Speed Dials		-	Up to 8 locations / Up to 99 locations	
Fax Features			PC Direct FAX, Secure FAX Receive,	
			Remote Fax Receive, Junk FAX Filter	
Warranty	P	Please check with your Fuji Xerox Printers reseller for more info	formation	
Consumables				
Consumables Standard yield toner cartridge (up to 1,000 pages*)	.1	CT201609		
High yield toner cartridge (up to 7,000 pages*)	+	CT201609		
illight yield to her carefully to prove the second se				

\* Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode. Printer is shipped with one standard toner yield 1,000 pages.

Descriptions in this material, product specifications and/or appearances are subject to change without prior notice due to improvements. Please note that the product colour appears differently from the actual colour as a result of properties of papers or printing ink. Windows and Windows NT are registered trademarks of Microsoft Corporation. Macintosh, Mac OS and Ether Talk are trademarks of Apple Computer, Inc. Other company names or product names are registered trademarks or trademarks of each company.



#### For Your Safe Use

Before using the product, read the Instruction Manual carefully for proper use. Use the product with an appropriate adequate power source and voltage displayed. Be sure to establish a ground. In the case of a failure or short circuit, an electric shock may result.

For more information or detailed product specifications, please call or email or visit our website at:

Fuji Xerox Asia Pacific 14a Rodborough Road Frenchs Forest NSW 2086 Australia 1300 793 769 New Zealand 0800 993 769 www.fujixeroxprinters.com.au www.fujixeroxprinters.co.nz



**Reproduction Prohibitions** Please note that reproduction of the following is prohibited by law. Domestic and overseas bank notes and coins, government-issued securities, national bonds and local bond certificates. Unused postage stamps and post cards. Certificate stamps stipulated by law. The reproduction of works for copyright purposes (literary works, musical works, paintings, engravings, maps, cinematographic works, photographic works, etc.) is prohibited except when they are reproduced personally, at home or within limited range according to the above. This product is equipped with an anti-counterfeit feature. This feature is not intended to prevent illegal reproduction. Be extremely careful about the management of equipment used.



XEROX, and the sphere of connectivity design are trademarks or registered trademarks of Xerox Corporation in the U.S. and or other countries. Other trademarks are the property of their respective owners.