

Ordering Information

Commercial model number: CB526A

Canada model number: CB526A (ABA)

Sidehar

In the box:

Print cartridge Control panel overlay Getting started guide Right-angle power cord Software and documentation on CD-ROM Support flyer Automatic two-sided printing accessory

Software:

Print drivers and installation (HP PCL 6, HP PCL 5e, PostScript, PostScript Printer Description, HP LaserJet Utility, Macintosh software)

Standard warranty:

1 year, Return to HP Authorized Service Center

Replaces

HP LaserJet 4250n Q5401A Printer

HP LaserJet 4250 Q5400A

HP Care Pack Option

Recommended Care Packs

Installation with UC742E Network Setup

Next Business Day H5479E Onsite: 3 years

Optional Care Packs

Installation with UC742E Network Setup Service

Same Day Onsite, H4475E Extended Business Hours: 3 years

Next Business Day H5479E

Onsite: 3 years

Post Warranty HC128PE

Post Warranty
Service, Remote
User Assistance
Support: 1 year

Post Warranty Service, Same Day Onsite,

Extended Business Hours: 1 year

Post Warranty Service, Next Business Day Onsite: 1 year H2664PE

U2032PE

High-performance, high-volume workgroup laser printer with automatic two-sided printing and robust security features.

Increasing productivity doesn't have to compromise security. Put this workhorse laser printer on the network for high-performance every day. Security features protect prints, limit user access and encrypt information sent across the network.

Your busy work environment needs a laser printer that will match your fast pace—up to 52 ppm. Jobs get finished quickly with a speedy processor and Instant-on Technology, even with your whole workgroup sharing the device.

Adapt to business changes easily thanks to this laser printer's expandable features—increase paper or printer cartridge capacity, print on both sides of a page, easily upgrade memory or add third-party solutions with Hi-Speed USB connectivity.

Managers want independent, dependable workers—which is why IT managers will love this laser printer. Simplify management and maintenance for this device with HP Easy Printer Care software or manage an entire fleet with HP Web Jetadmin.

Compatible Operating Systems

Standard Desktop

Windows 2000	*
Windows XP	*
Windows Server 2003	*
Windows Vista® Ready	*
Mac OS	Mac OS X v10.2.8, 10.3, 10.4, 10.5 and later

Standard Network

Windows 2000	*
Windows XP/XP 64-bit	*
Windows Server 2003	*
Windows Vista®	*
Other	Novell 5.1 and later; Mac OS X v 10.2.8, 10.3, 10.4, 10.5, and later; Red Hat Linux 7.x and later; SuSE Linux 8.x and later; HP-UX 10.20, 11.x, 11.i; Solaris 2.5 and later (SPARC systems only); IBM AIX 3.2.5 and later 1; MPE-IX; Citrix MetaFrame Server; Windows Terminal Services

Optional Desktop/Network

Additional Information

	<u>www.hp.com</u>
Sales	Data Sheet 4AA1-6971ENUC
Third-party solutions	www.hpgsc.com
Reseller	http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com

Brand Specifications

PRINTER:


GENERAL

Print Speed Black, Letter:

Two-Sided Printing Automatic (standard) Typefaces 80 HP Font set Prints Color No Print Quality, Black Best Up to 1200 dpi Print Resolution HP REt, HP 300 dpi, HP & Proceed From Process 1200 HP PCL 6, HP PCL 5e, HI	
Paper Trays, Std 2 Paper Trays, Max 6 Input Capacity, Std 600 sheets Input Capacity, Max 3,600 sheets Output Capacity, Std 600 sheets Output Capacity, Max 1,100 sheets Envelope Input, Std 10 Envelope Feeder 75 [with optional 75-she Two-Sided Printing Automatic (standard) Typefaces 80 HP Font set Prints Color No Print Quality, Black Best Up to 1200 dpi Print Resolution HP REt, HP 300 dpi, HP 6 ProRes 1200 HP PCL 6, HP PCL 5e, HI Hieret PDF (v1.4) printin recommended)	ode
Paper Trays, Max Input Capacity, Std Input Capacity, Max Output Capacity, Max Envelope Input, Std Input Capacity, Max Input Ca	
Input Capacity, Std 600 sheets	
Input Capacity, Max Output Capacity, Std Output Capacity, Max 1,100 sheets Output Capacity, Max 1,100 sheets Envelope Input, Std I0 Envelope Feeder Two-Sided Printing Typefaces Prints Color Print Quality, Black Best Print Resolution Technology Automatic (standard) No Print Resolution Technology HP REt, HP 300 dpi, HP GP ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1. 4) printin Print Languages, Std 400 sheets 600 sheets	
Output Capacity, Std 600 sheets Output Capacity, Max 1,100 sheets Envelope Input, Std 10 Envelope Feeder 75 [with optional 75-she Two-Sided Printing Automatic (standard) Typefaces 80 HP Font set Print Color No Print Quality, Black Best Up to 1200 dpi Print Resolution HP REt, HP 300 dpi, HP 6 Technology ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1. 4) printin recommended)	
Output Capacity, Max Envelope Input, Std Envelope Feeder Two-Sided Printing Typefaces Prints Color Print Quality, Black Best Print Resolution Technology Automatic (standard) No Print Quality, Black Best Print Resolution Technology ProRes 1200 HP PCL 6, HP PCL 5e, Hidirect PDF (v1.4) printin Print Languages, Std 1,100 sheets 10 Linux 10 Linx 10 Linux 10 Linx 10 Linux 10	
Envelope Input, Std 10 Envelope Feeder 75 [with optional 75-she Two-Sided Printing Automatic (standard) Typefaces 80 HP Font set Prints Color No Print Quality, Black Best Up to 1200 dpi Print Resolution HP REt, HP 300 dpi, HP G Technology ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1.4) printing recommended)	
Envelope Feeder 75 [with optional 75-she Two-Sided Printing Automatic (standard) Typefaces 80 HP Font set Prints Color No Print Quality, Black Best Up to 1200 dpi Print Resolution HP REt, HP 300 dpi, HP of ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1. 4) printinger printinger processing printinger processing printinger processing printinger printinger processing printinger pri	
Two-Sided Printing Automatic (standard) Typefaces 80 HP Font set Prints Color No Print Quality, Black Best Up to 1200 dpi Print Resolution HP REt, HP 300 dpi, HP 6 Technology ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1. 4) printin recommended)	
Typefaces 80 HP Font set Prints Color No Print Quality, Black Best Up to 1200 dpi Print Resolution HP REt, HP 300 dpi, HP 6 Technology ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1.4) printin Print Languages, Std recommended)	et Envelope Feeder (CB524A)]
Prints Color No Print Quality, Black Best Up to 1200 dpi Print Resolution HP REt, HP 300 dpi, HP 6 Technology ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1.4) printin Print Languages, Std recommended)	
Print Quality, Black Best Up to 1200 dpi Print Resolution HP REt, HP 300 dpi, HP 6 ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1.4) printin Print Languages, Std	
Print Resolution HP REt, HP 300 dpi, HP 6 Technology ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1. 4) printin recommended)	
Technology ProRes 1200 HP PCL 6, HP PCL 5e, HI direct PDF (v1.4) printin recommended)	
direct PDF (v1.4) printin recommended)	600 dpi, HP FastRes 1200, HP
	P PostsScript level 3 emulation, g (192 MB printer memory
HP Web Jetadillili, HP La	sorlot Utility, HD Emboddod
Printer Management Web Server	iserJet Otility, nP Effibeaded

Duty Cycle, Monthly	225,000 pages
	225,000 pages
Recommended Monthly Volume	2 000 to 1E 000 pages
volume	3,000 to 15,000 pages
	Paper (bond, color, letterhead, plain, preprinted, pre- punched, recycled, rough, light), envelopes, labels,
Modia Types	cardstock, transparencies, user-defined
Media Types	
Madia Ciara Ctal	Letter, legal, executive, statement, 8.5 x 13 in,
Media Sizes, Std	envelopes (No. 10, Monarch)
	3 x 5 in to 8.5 x 14 in, tray 1; 5.8 x 8.3 in to 8.5 x 14
Media Sizes, Custom	in, trays 2 and 3
Media Weights	16 to 53 lb, tray 1; 16 to 32 lb, trays 2 and 3
	Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal
	Host USB 2.0-like ports for third-party connection, HP
Connectivity, Std	Jetdirect Gigabit Ethernet embedded print server
	HP Jetdirect internal, external and wireless print
Connectivity, Opt	servers
Memory, Std	128 MB
Memory, Max	640 MB
Energy Star Compliant	Yes
Mac Compatible	Yes
Dimensions (W x D x H)	16.5 x 21.2 x 15.5 in
Weight	62.34 lb
Shipping Dimensions	31.1 x 23.6 x 21.3 in
Shipping Weight	62.3 lb

HP LaserJet P4015 Series



Automatic two-sided printing accessory Embedded Jetdirect print server EIO slot Host USB ports -USB port -Rear view Memory map P4015 • P4015dn • P4015tn • P4015x 640 MB Maximum Usable Memory/1 Slot © 1881 Internal Cyan

Note: Automatic two-sided printing accessory is optional on P4015n and P4015tn

Jetdirect Products

- HP Jetdirect ew2400 (J7951G)
- HP Jetdirect 620n (J7934G) HP Jetdirect 635n (J7961G)
- HP Jetdirect en3700 (J7942G)
- HP Jetdirect 630n (J7997G) HP Jetdirect en1700 (J7988G)
- HP Jetdirect 690n (J8007G)

Accessories (standard)

Staple Cartridge (1,000) (Q3216A) HP High Performance Serial ATA Hard Disk (J7989G)

HP 1284B Parallel Card (J7972G)
HP Universal Print Driver for Windows 4.7 (J7980A/J7981A)
500-sheet Input Tray (CB518A)

1,500-sheet High-Capacity Input Tray (CB523A) 75-sheet Envelope Feeder (CB524A) 500-sheet 5-Bin Mailbox (CB520A)

500-sheet Stacker (CB521A) 500-sheet Stapler/Stacker (CB522A)

Printer Stand (CB525A)

Printer Stand (CB325A)
Printer Maintenance Kit, 110 Volt (CB388A)
Printer Maintenance Kit, 220 Volt (CB389A)
DDR2 DIMM (144-pin x32): 64 MB (CC413A)
DDR2 DIMM (144-pin x32): 256 MB (CC415A)
DDR2 DIMM (144-pin x32): 512 MB (CE483A)
DDR2 DIMM (144-pin x32): 128 MB (CC414A)

Compatible Supplies

HP LaserJet Cartridges and Kits HP LaserJet CC364A Black Print Cartridge (CC364A) HP LaserJet CC364X Black Print Cartridge (CC364X)

Compatible Paper Products

Top Recommended Papers

TOP RESCENTIONAGE			
HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124
HP LaserJet Paper			
8.5 x 14 in	24 lb	500 sheets	HPJ1424

HP Everyday Papers

HP Premium Choice Laser	Paper		
8.5 x 11 in	32 lb	500 sheets	HPU1132
HP LaserJet Paper			
8.5 x 11 in 8.5 x 11 in	24 lb 24 lb	500 sheets 2,500 sheets (5 reams)	HPJ1124 HPJ115RC
HP All-in-One Printing Pap	er		
8.5 x 11 in 8.5 x 11 in	22 lb 22 lb	500 sheets 500 sheets	HPT1122 HPT115
HP All-in-One Printing Pap	er Grab N	' Stow™ Carton	
8.5 x 11 in	22 lb	1,200 sheets	INP207050
HP Printing Paper			
8.5 x 11 in 8.5 x 11 in	22 lb 22 lb	5,000 sheets (10 reams) 500 sheets	HPP1122C HPP1122R
HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R

8.5 x 11 in 8.5 x 11 in 8.5 x 11 in, 3-hole punch 8.5 x 14 in	20 lb 20 lb 20 lb 20 lb	5,000 sheets (10 reams) 2,500 sheets (5 reams) 500 sheets 500 sheets	HPM1120C HPM115RC HPM113H HPM1420
HP Office Paper			
8.5 x 11 in 8.5 x 11 in 8.5 x 11 in, 3-hole punch 8.5 x 14 in 8.5 x 11 in	20 lb 20 lb 20 lb 20 lb 20 lb	2,500 sheets (5 reams) 5,000 sheets (10 reams) 500 sheets 500 sheets 500 sheets	HPC115RC HPC8511C HPC3HP HPC8514 HPC8511R
8.5 x 11 in	20 lb	2,500 sheets	HP2500S
HP Office Recycled Paper			
8.5 x 11 in 8.5 x 11 in	20 lb 20 lb	5,000 sheets (10 reams) 500 sheets	HPE1120C HPE1120R
HP Everyday Copy and Print 8.5 x 11 in	20 lb	500 sheets	HPA510

HP Business Communications

8.5 x 11 in		50 sheets	C2934A
HP LaserJet Tough Paper	r		
8.5 x 11 in		50 sheets	Q1298A
	_		
HP Soft-gloss Presentati	on Paper		
8.5 x 11 in	32 lb	200 sheets	Q6541A
UD 6-1 I 61 6	b-+ Db-+- D	_	
HP Color Laser Glossy Sr			
4 x 6 in, borderless	58 lb bond	100 sheets	Q8842A
HP Color Laser Glossy Ph			
8.5 x 11 in	58 lb	200 sheets	Q6607A
8.5 x 11 in	58 lb	100 sheets	Q6608A
UD I Cl Bb	- D		
HP Laser Glossy Brochur	•		
8.5 x 11 in	44 lb	250 sheets	Q6610A
8.5 x 11 in	44 lb	150 sheets	Q6611A
UD Classy Presentation I	Danar		
HP Glossy Presentation I	•	000 1 1	00544:
8.5 x 11 in	34 lb	300 sheets	Q2546A
UD I CI T-: f-I-	Danahaan Danah		
HP Laser Glossy Tri-fold			
8.5 x 11 in	43 lb bond	150 sheets	O6612A

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Exact speed varies depending on the system configuration, software application and document complexity.