

Phaser 4622 Black and White Printer

Power workplace productivity with one affordable workhorse device.





Xerox® Phaser® 4622 Printer

Print more in less time. The Phaser 4622 meets your productivity challenge at a value price, giving your work group heavy-duty reliable performance – page after page, year after year.

Keep your workplace fast and flexible.

In business, you can't miss a beat. The new Phaser 4622 gives you the speed and flexibility to keep you on task and in control – without sacrificing print quality.

- Raise the bar on performance. With print speeds of up to 62 ppm in A4, it's never been easier to keep a productive pace.
- **Lightning fast output.** As few as 7.8 seconds from the time you press start to your first page view.
- **Swift throughput.** The Phaser 4622's Dual core floating point processor makes it possible.
- Exceptional sharpness and clarity.
 With image quality of up to enhanced 1200 x 1200, you'll clearly see the difference with every document.
- Meet heavy-duty office demands. With a monthly duty cycle of up to 275,000 prints, the Phaser 4622 is built to take on whatever your office can dish out.
- **Keep the peace.** The Phaser 4622 is engineered for exceptionally quiet operation to minimise the impact on busy offices.

Print your way, every day.

You'll be pleasantly surprised by the wide variety of print options available with the Phaser 4622.

- Print on the go. With native support for Apple® Airprint™, the Phaser 4622 gives you access to the most widely used mobile print tool available for today's office.
- Easy does it. You'll be up and printing in minutes thanks to the simplified front console and automated setup feature.
- **Print out of the box.** The Phaser 4622 expands your creativity, allowing you to print on just about everything from transparencies, to cardstock, to envelopes and labels and more.
- Flexible paper options. A 550-sheet capacity main paper tray can easily accommodate paper sizes from 76 x 127 mm to 216 x 356 mm.
- Finish strong. The optional 500-sheet finisher gives you added muscle to staple up to 50 sheets automatically. A great way to further extend your office productivity.
- Handle complex documents with ease.
 Get standard memory capacity of 256 MB or expand to an optional size of 768 MB to meet your growing needs.

Keep your office lean and green.

The Phaser 4622 truly delivers an affordable office device that works hard for your office while being just as mindful of the world outside of it.

- Paper cuts. Highly efficient, hassle-free two-sided printing can easily cut your paper consumption in half while saving you time and money.
- Reduce paper costs. Single sheet, N-up printing lets you group multiple pages on a single sheet, so you cut down on paper usage and cost.
- Use consumables more efficiently. Our split consumables mean you replace only what you use – so you get the most out of every user-replaceable component.
- Drum out waste. The Phaser 4622's longlife marking drum is engineered for longer life so you replace it far less – reducing toner waste and cost.

¹ Outputs face down

Focus on the work that needs to get done. With the efficiency, productivity and security of the Xerox Phaser 4622, even the fastest-paced offices can accomplish more tasks in less time with one affordable, secure device.

Achieve total print control across your entire network.

- **Connect with ease.** Enjoy built-in support for Ethernet 10/100/1000Base-T networks.
- Flexible placement. Put your Phaser 4622 exactly where you need it with an optional internal wireless support feature.
- Desktop print management. Xerox®
 CentreWare® Internet Services and Xerox®
 CentreWare® Web let you manage key
 printer features remotely right from
 your desktop.
- Proactively monitor and manage your device. Xerox® Device Manager lets you keep track of individual and departmentlevel print usage, allowing you to improve purchasing decisions and resolve printer issues before they become problems.

Keep business-critical data safe.

The Phaser 4622 offers industry-leading security features that can effectively reduce security risks related to your documents and other office information.

- Iron-clad security. With standard, built-in support for IPv6 and IPsec, the Phaser 4622 implements the most stringent security options available anywhere.
- Your eyes only. The Image Overwrite feature completely removes unneeded data from printer storage so unauthorised users are denied access to sensitive information.
- Safeguard active documents. The Phaser 4622's hard disk encryption protocol is truly state-of-the art, allowing you to protect active documents you save in the printer's memory.
- Release documents only when you're ready. With the device's Secure Print feature, private jobs are held in the print queue until they're released at the device by the job originator.

Exceptional value with room to grow.

Standard:

- 1 100-sheet Multipurpose Tray (Tray 1)
- 2 550-sheet feeder (Tray 2)
- 3 Port for USB memory devices
- 4 Automatic Duplexing

Optional:

- 5 500-sheet Finisher with Stapler (Outputs face down)
- 6 4-bin mailbox (not pictured)
- 7 550-sheet feeders (Trays 3 and 4)
- 8 2,000-sheet high-capacity feeder (includes stand)
- 9 Stand



Phaser 4622 Specifications

Basic Specifications

Item		Description		
Type		Desktop		
Memory Capacity		256 MB (std); 768 MB (max)		
Hard Disk Capacity		320 GB		
Print Resolution		600 x 600 dpi, up to 1200 x 1200 enhanced image quality		
Duplex		Automatic		
Warm-up Time		65 seconds or less		
Device Management		Xerox® CentreWare® Internet Services, CentreWare Web, Xerox® Device Manager, WebJet Admin Interface, Tivoli, Bonjour, Low Toner Email Alert		
Security		Secure HTTPS (SSL), IPsec, 802.1X, IPv6 Compatibility, Network Authentication, SNMPv3, Image Overwrite, Audit Log, IP Filtering		
Media Handling		Tray 1 (MPT): 60-220 gsm; Trays 2-6: 60-163 gsm; High-Capacity Feeder: 60-90 gsm; Media Types: Plain paper, Pre-punched, Transparencies, Preprinted, Heavyweight, Recycled, Bond, Labels, Archive, Cardstock		
Paper Tray Capacity	Standard	Tray 1 (MPT): 100 sheets Tray 2: 550 sheets		
	Optional	Tray 3: 550 sheets Tray 4: 550 sheets Tray 5: 550 sheets Tray 6: 550 sheets High Capacity Feeder (Add to Trays 1-4): 2,000 sheets; Standard Sizes: A4		
	Мах.	3,750 sheets		
Output Tray Capacity		500 sheets		
Finisher		500-sheet tray, 50-sheet stapling (face down)		
Mailbox		Four 100-sheet bins		
Power Source		110-127 VAC, 50/60 Hz or 220-240 VAC, 50/60 Hz		
Power Consumption		Printing 900 W, Standby: 120 W, Power Save: 2.8 W		
Operating Environment		Operating: 10° to 30° C; Storage: 20° to 40° C; Relative humidity: 20 to 85%; Sound pressure levels: Printing: 58 dB(A), Ready: 30 dB(A); Warm up (from power save): First print: As fast as 45 seconds; User Interface ready and programmable: 2 seconds; Warm up (from power on): 65 seconds; User interface ready and programmable: 54 seconds (max)		
Dimensions (WxDxH)		476 mm x 541 mm x 420 mm		
Weight		34.6 kg		
Warranty		One-year on-site warranty		

Print Function

Item	Description		
Continuous Print Speed	Up to 62 ppm		
First-print-out-time	7.8 seconds or less		
Print Features	256 levels of halftone (greyscale), Watermarks, N-up, Fit to Page, Scaling, Reduce/ enlarge, Toner Saver, Print from USB, Print Around, Collation, Secure Print, Personal Print, Smart Duplex		
Page Description Language	PCL® 6, PCL 5e, PostScript 3 emulation, PDF, Epson		
Operating System ^{*1}	Microsoft® Windows® XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2012; Mac® OS 10.5 and higher; Various Linux including Red Hat® Enterprise 4,5; Sun MicroSystems Solaris™ 9,10; Fedora™ Core 1-11; SUSE; IBM AIX®5, HP-UX 11.0/11i, Novell NetWare® 5x,6x Open Enterprise Server, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®		
Interface	10/100/1000Base-T Ethernet, USB 2.0		

^{*1:} Please refer to the Fuji Xerox website for the latest supported operating systems.

Options

Item	Code
Hard Drive Kit: 320 GB	097N02157
550-sheet Paper Tray	097N01874
2,000-sheet High-capacity Feeder (includes Stand)	097N01875
Finisher / Stapler	097N01876
4-bin Mailbox	097N01877
Stand	097N01916
512 MB Memory	097N01878

Consumables

Item	Code	Yield
High Capacity Toner Cartridge	106R02625	40,000 pages*
Staple Cartridge (3 cartridges with 15,000 staples each)	008R12941	-
Maintenance Kit, 220V	115R00070	150,000 pages**
Xerox® Smart Kit® Drum Cartridge:	113R00762	80,000 pages**

Certifications

Letrinations
Listed to UL 60950-1/CSA 60950-1-07+A1:2011, 2nd Edition, FDA/CDRH — Class 1 Laser Product, FCC Part 15, Class A, Canada ICES-003, Class A, CE marked, Low Voltage Directive 2006/95/EC, EN 60950-1, 2nd Edition, EN 60825-1 — Class 1 Laser Product, EMC Directive 2004/108/EC, EN 55022, Class A, EN 55024, RoHS Directive 2011/65/EC, WEEE Directive 2002/96/EC, ENERGY STAR qualified (4622), Section 508 Compliant, Blue Angel certified*, Apple® Airprint™ certified

Notes

1) If the storage media (such as hard disk drives) of the base unit fail, loss of received data, accumulated data, registered setting data, etc. may occur. In no event shall Fuji Xerox be liable for any damages whatsoever arising from loss of data.

2) Functional spare parts will be available for at least 7 years after the product is no longer manufactured.

3) The product specifications, appearance and other details in this catalog are subject to change without notice for

Other company names or product names are registered trademarks or trademarks of each company.

Reproduction Prohibitions Please note that reproduction of the following is prohibited by law:

Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.



For Your Safety

Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.

For more information or detailed product specification, please call or visit us at

Fuji Xerox Asia Pacific Pte Ltd

14a Rodborough Road Frenchs Forest NSW 2086 Australia 1300 793 769 New Zealand 0800 993 769

www.fujixeroxprinters.com.au www.fujixeroxprinters.co.nz



^{*} Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

* Approximate pages. Declared Yield based on A4-size 75 gsm pages. Yield will vary based on media type, size, weight, orientation, and usage patterns.