

## Tecra Z40-C PT463A-03D00G

### Overview

When it comes to travelling first class, the Tecra Z40 delivers all the top-flight performance, elite technology and ultra-mobility needed to stay productive and on top of the game.

This stylish Ultrabook™ features a stunning 14" Full High Definition widescreen display (selected models), backlit and coated with anti-glare technology for maximum clarity in all lighting. Full on-desk docking facilities provide easy workstation usability, yet this world-class performance Ultrabook™ is still stunningly thin and ultra light without compromise.

The Z40 is built to handle the rough and tumbles of life in the office and on the road with Toshiba's unique Honeycomb structure and dual motherboard pillars for increased durability, reliability and security. Highly Accelerated Life Testing (HALT) minimises the risk of data loss, downtime and repairs significantly, ensuring inbuilt world-class reliability to keep your business moving forward.

Toshiba recommends Windows 10.

THE TOSHIBA  
**TECRA  
Z40**  
TRAVEL FIRST CLASS  
WITH THIS ELITE  
PERFORMANCE  
ULTRABOOK™



## Tecra Z40-C PT463A-03D00G

General	
CPU	Intel® ULV Core™ i5-6300U (BGA) Processor (2.4GHz - 2.9GHz (Turbo, 2 Cores) 1600MHz FSB, 256 KB per core L2 cache, 3MB L3 cache)
Operating System	Windows 10 Pro Upgrade media in the box + Windows 7 64Bit Downgrade
Screen Size	14.0" High Definition XGATFT Active Matrix 200Nit (1366x768) resolution with Backlit resolution and LowPower Embedded Display Port (eDP)
Resolution	1366 x 768
Memory	8GB DDR3L (1600Mhz)
RAM slot allocation	expandable to 16GB only (One slot used One slot free) - Not user accessible
Storage	500GB 7200rpm Hard Disk Drive (HDD)
Graphics	Intel® HD520 Graphics
Audio	Intel® High Definition Audio Sound
Sound	Stereo Speakers with DTS
Webcam	Integrated 2.0M Fixed Focus Full High Definition Slim Type 13A-USB web camera with 2 x Microphone (Dual Array)
Buttons and Pointing device	A4 Keyboard with Backlit and DualPoint™ (Clickpad and Accupoint with two mechanical buttons, ClickPad On/Off + Eco On/Off) with Gesture support (3 finger down - Pinch, Pivot and Momentum), Swipe for Windows 8 and 1 x Button (Power On/Off)
BIOS	ACPI, PnP, VESA, DPMS, DDC, SMBIOS, PCI BIOS Support, Boot Device, TSETUP
Standard Warranty*	3 Year limited international parts and labour warranty, Australia and New Zealand warranty includes complimentary courier pick-up and return service
AMT	Yes
Power Supply	65W Worldwide AC Adaptor
Security	Biometric security with advanced Fingerprint sensor with Toshiba Fingerprint Utility, Device Access Control, Face Recognition Log-on (Refer to Software Section), Hard Disk password prevents unauthorised access to the Hard Drive and can be synchronised with the user password, Kensington® cable lock slot for optional theft protection devices, Toshiba EasyGuard HDD protection with 3D motion sensors, Trusted Platform Module 2.0 (TPM) for authentication (ie: encryption), User and supervisor password prevents unauthorised access to startup the Notebook at the BIOS level, XD-Bit to aid protection against malicious code
Software	1 month trial for new Microsoft® Office 365 customers., Adobe® Acrobat Reader® 9.0, McAfee® Internet Security 2010 (60 day trial), Toshiba Face Recognition on Webcam and applicable on Win 8.1, Toshiba User's Manual, Toshiba Value Added Package (inc Toshiba Assist, Toshiba Zooming Utility, Toshiba Console, Toshiba Recovery)
Expansion	
TV-Out Port	RGB/HDMI external VGA display
USB Ports	3 x USB Ports (2 x USB 3.0, 1 x USB 3.0 Sleep and Charge support)
Bridge Media Adaptor	SD Slot
HDMI	Yes
Communication	
LAN	Intel® Integrated 1Gbit TX Ethernet + Active Management Technology (AMT) 11.0
Wireless LAN	Integrated Intel® 802.11 ac + a/g/n M2
Integrated Bluetooth™	Bluetooth™ V4.0
Physical Description	
Weight (from)	1.47kg
Battery	4 cell 3860mAh 60Wh Lithium-Ion battery (up to 10 hours)
Dimensions (W x D x H (front/back))	338mm(W) x 236mm(D) x 20.4(H)
Colour Variation	Cosmo Silver with Hairline
Compliance	
Compliance	ROHS compliant, ENERGY STAR® 5.0 qualified, Eco Utility Software, Temperature (Operating): 5° to 35°C; Thermal gradient (Operating): 15°C/hour; Relative humidity (Operating): 20% to 80%; Shock (Operating): 10G; Vibration (Operating): 0.5G

*Design and specifications are subject to change without prior notice. All images and videos are for illustration purposes only.*

*\*Terms and conditions apply, please refer to the [Limited Warranty Statement](#).*

